ELSEVIER

Analytica Chimica Acta 354 (1997) 375–377

ANALYTICA CHIMICA ACTA

Author Index

A. Larsen, O.F., see Kozin, I.S. 181
Ab Ghani, S., see Zahir, M.H. 351
Adams, F., see Ivanova, E. 7
Aguilar-Caballos, M.P.
—, Gómez-Hens, A. and Pérez-Bendito, D.
Simultaneous kinetic determination of butylated hydroxyanisole and propyl gallate by coupling stopped-flow mixing technique and diode-array detection 173
Angnes, L., see Lima, A.W.O. 325
Aruga, R.
Treatment of responses below the detection limit: some current techniques compared by Factor Analysis on environmental data 255

Bellagamba, G., see Laganà, A. 87
Ben Ouada, H., see Mlika, R. 283
Bhagwat, A.M., see Bhoir, I.C. 123
Bhoir, I.C.
—, Raman, B., Sundaresan, M. and Bhagwat, A.M.
Separation and estimation of diloxanide furoate and metronidazole in solid dosage form using packed column supercritical fluid chromatography 123
Bonastre, A., see Peris, M. 249
Botsoglou, N.A.
—, Fletouris, D.J., Psomas, I.E. and Mantis, A.I.
Retention behaviour of the sulphoxide, sulphone and 2-aminosulphone metabolites of albendazole in ion-pair liquid chromatography 115

Carlsson, K.
—, Jacobsen, H.S., Lynggaard Jensen, A., Stenstrøm, T. and Karlberg, B.
Micro-continuous flow system for wet chemical analysis 35
Casella, I.G.
—, Guascito, M.R., Salvi, A.M. and Desimoni, E.
Catalytic oxidation and flow detection of hydrazine compounds at a nafion/ruthenium(III) chemically modified electrode 333
Chang, X.
—, Su, Z., Yang, D., Gong, B., Pu, Q. and Li, S.
Synthesis and efficiency of a spherical macroporous epoxy-imidazole complexing resin for preconcentrating trace noble metal ions 143
Chen, G., see Chi, Y. 365
Chen, H., see Chi, Y. 365
Chi, Y.
—, Chen, H. and Chen, G.
Electrochemical reduction of isatic acid at mercury electrodes in aqueous media 365
Chu, X., see Jiang, J.-H. 263
Cooke, C., see Keenan, F. 1
Cooke, M., see Keenan, F. 1
Cretin, M.
— and Fabry, P.
Detection and selectivity properties of Li^+-ion-selective electrodes based on NASICON-type ceramics 291

D'Ascenzo, G., see Laganà, A. 87
da Cruz Vieira, I., see Fatibello-Filho, O. 51
Daghbouche, Y.
—, Garrigues, S. and de la Guardia, M.
Liquid chromatography-Fourier transform infrared spectrometric determination of cholesterol in animal greases 97
Danielsson, R.
—, Petersson, L.R. and Frank, A.
Multivariate data analysis as a tool for evaluating emission intensity, background equivalent concentration and detection limit obtained for different plasma positions in direct current plasma-atomic emission spectrometry 211
de la Guardia, M., see Daghbouche, Y. 97
de Voogt, P., see Kozin, I.S. 181
Desimoni, E., see Casella, I.G. 333
Drakopoulos, A.I.
— and Ioannou, P.C.
Spectrofluorimetric study of the acid–base equilibria and complexation behavior of the fluoroquinolone antibiotics ofloxacin, norfloxacin, ciprofloxacin and pefloxacin in aqueous solution 197
du Plessis, H., see van Staden, J.F. 59
Du, H.
— and Stillman, M.J.
Automation of gas chromatography instruments. Part I. Automated peak identification in the chromatograms of standard test mixtures 65
Du, H.
— and Stillman, M.J.
Automation of gas chromatography instruments. Part II. A knowledge-based system for performance assessment 77
Dumazet, I., see Mlika, R. 283
Durst, R.A., see Lee, M. 23

Fabry, P., see Cretin, M. 291
Fatibello-Filho, O.
— and da Cruz Vieira, I.
Flow injection spectrophotometric determination of sulfite using a crude extract of sweet potato root (*Ipomoea batatas* (L.) Lam.) as a source of polyphenol oxidase 51
Fletouris, D.J., see Botsoglou, N.A. 115
Frank, A., see Danielsson, R. 211
Fukumura, S., see Kiba, N. 205
Furusawa, M., see Kiba, N. 205

Gáspár, A.
— and Posta, J.
On-line sorption preconcentration of chromium(VI) and its determination by flame atomic absorption spectrometry 151
Gómez-Hens, A., see Aguilar-Caballos, M.P. 173
Gammelgaard, B.
—, Liao, Y. and Jøns, O.
Improvement on simultaneous determination of chromium species in aqueous solution by ion chromatography and chemiluminescence detection 107
Gamoudi, M., see Mlika, R. 283
Garrigues, S., see Daghbouche, Y. 97
Gentili, A., see Laganà, A. 87
Gil, P., see Peris, M. 249
Gong, B., see Chang, X. 143
Gong, X., see Ni, Y. 163
Gooijer, C., see Kozin, I.S. 181
Guascito, M.R., see Casella, I.G. 333
Guillaud, G., see Mlika, R. 283

Haghighi, B.
— and Safavi, A.
Simultaneous flow injection determination of iron(II) and iron(III) with opto-electrochemical detection 43
Hauser, P.C., see Kappes, T. 129

Igarashi, S., see Kawakami, T. 159
Ioannou, P.C., see Drakopoulos, A.I. 197
Itagaki, A., see Kiba, N. 205
Ivanova, E.
—, Yan, X.-P. and Adams, F.
Determination of bismuth in cod muscle, lake and river sediment by flow injection on-line sorption preconcentration in a knotted reactor coupled with electrothermal atomic absorption spectrometry 7

Jøns, O., see Gammelgaard, B. 107
Jacobsen, H.S., see Carlsson, K. 35
Jaffrezic-Renault, N., see Mlika, R. 283
Jiang, J.-H.
—, Wang, J.-H., Chu, X. and Yu, R.-Q.
Clustering data using a modified integer genetic algorithm (IGA) 263
Jiang, Z.
—, Liu, X., Zhao, M. and Mo, W.
Novel photochemical voltammetric method for the determination of traces of iron in tea 359

Kang, T.-F.
—, Shen, G.-L. and Yu, R.-Q.
Voltammetric behaviour of dopamine at nickel phthalocyanine polymer modified electrodes and analytical applications 343
Kappes, T.
— and Hauser, P.C.
Potentiometric detection in capillary electrophoresis with a metallic copper electrode 129
Karlberg, B., see Carlsson, K. 35
Karlberg, B., see Pettersson, Å.K. 241
Katsu, T.
—, Xu, D., Tsuji, K. and Nagamatsu, T.
Tris(2-ethylhexyl) phosphate and tricresyl phosphate as new neutral carriers for organic ammonium ion-selective membrane electrodes 301
Kawakami, T.
— and Igarashi, S.
Asymmetric porphyrin derivative having one reactive site as a highly sensitive spectrophotometric reagent for nitrite 159
Keenan, F.
—, Cooke, C., Cooke, M., Pennock, C. and the ALSPAC Team
Correlation of the antimony concentration of umbilical cord and infant hair measured by hydride generation–atomic fluorescence spectrometry 1
Kiba, N.
—, Itagaki, A., Fukumura, S., Saegusa, K. and Furusawa, M.
Highly sensitive flow-injection determination of glucose in plasma using an immobilized pyranose oxidase and a chemiluminometric peroxidase sensor 205
Kozin, I.S.
—, A. Larsen, O.F., de Voogt, P., Gooijer, C. and Velthorst, N.H.
Isomer-specific detection of azaarenes in environmental samples by Shpol'skii luminescence spectroscopy 181
Kremer, B., see van Staden, J.F. 59

Laganà, A.
—, Bellagamba, G., D'Ascenzo, G., Gentili, A. and Marino, A.
Evaluation of ticlopidine in human serum and plaque by liquid chromatography/atmospheric pressure chemical ionization mass spectrometry 87
Lamartine, R., see Mlika, R. 283
Lee, M.
—, Durst, R.A. and Wong, R.B.
Comparison of liposome amplification and fluorophor detection in flow-injection immunoanalyses 23
Li, S., see Chang, X. 143
Liao, Y., see Gammelgaard, B. 107
Lim, T.-K.
—, Nakamura, N. and Matsunaga, T.
Flow immunoassay using a cation exchange column and fluorescence-labelled antibody for detection of allergen 29
Lima, A.W.O.
—, Nascimento, V.B., Pedrotti, J.J. and Angnes, L.
Coconut-based plant tissue reactor for biosensing of catechol in flow injection analysis 325
Linsky, S.M., see van Staden, J.F. 59
Liu, X., see Jiang, Z. 359
Lu, J., see Wang, J. 275

Luo, D., see Wang, J. 275
Luque de Castro, M.D., see Papaefstathiou, I. 135
Lvovich, V.
— and Scheeline, A.
Simultaneous superoxide and hydrogen peroxide detection in peroxidase/NADH oscillator 315
Lynggaard Jensen, A., see Carlsson, K. 35

Mafatle, T.
— and Nyokong, T.
Use of cobalt(II) phthalocyanine to improve the sensitivity and stability of glassy carbon electrodes for the detection of cresols, chlorophenols and phenol 307
Mantis, A.I., see Botsoglou, N.A. 115
Marino, A., see Laganà, A. 87
Matsunaga, T., see Lim, T.-K. 29
Mlika, R.
—, Dumazet, I., Gamoudi, M., Lamartine, R., Ben Ouada, H., Jaffrezic-Renault, N. and Guillaud, G.
Membranes containing new large size calixarenes on semiconductor substrates for chemical microsensors 283
Mo, W., see Jiang, Z. 359

Nagamatsu, T., see Katsu, T. 301
Nakamura, N., see Lim, T.-K. 29
Narinesingh, D.
—, Saroop, S. and Ngo, T.T.
A fluorescence flow injection method for the quantitation of cyanide: Its application to the quantitation of bound cyanide in cassava using an immobilized linamarase bioreactor 189
Nascimento, V.B., see Lima, A.W.O. 325
Ngo, T.T., see Narinesingh, D. 189
Ni, Y.
— and Gong, X.
Simultaneous spectrophotometric determination of mixtures of food colorants 163
Ni, Y.
— and Wu, Y.
Simultaneous determination of mixtures of metal ions by complexometric titration and multivariate calibration 233
Nyokong, T., see Mafatle, T. 307

Ors, R., see Peris, M. 249

Pérez-Bendito, D., see Aguilar-Caballos, M.P. 173
Papaefstathiou, I.
— and Luque de Castro, M.D.
Nitrogen speciation analysis in solid samples by integrated pervaporation and detection 135
Pedrotti, J.J., see Lima, A.W.O. 325
Pennock, C., see Keenan, F. 1
Peris, M.
—, Ors, R., Bonastre, A., Gil, P. and Serrano, J.
Advanced application of rule nets to the automation of chemical analysis systems 249
Pettersson, Å.K.
— and Karlberg, B.
Simultaneous determination of orthophosphate and arsenate based on multi-way spectroscopic-kinetic data evaluation 241
Petersson, L.R., see Danielsson, R. 211
Posta, J., see Gáspár, A. 151
Psomas, I.E., see Botsoglou, N.A. 115
Pu, Q., see Chang, X. 143

Raman, B., see Bhoir, I.C. 123

Saegusa, K., see Kiba, N. 205
Safavi, A., see Haghighi, B. 43
Salvi, A.M., see Casella, I.G. 333
Saroop, S., see Narinesingh, D. 189
Scheeline, A., see Lvovich, V. 315
Serrano, J., see Peris, M. 249
Shen, G.-L., see Kang, T.-F. 343
Sherwood, J.E., see Turoczy, N.J. 15
Stenstrøm, T., see Carlsson, K. 35
Stillman, M.J., see Du, H. 65
Stillman, M.J., see Du, H. 77
Su, Z., see Chang, X. 143
Sundaresan, M., see Bhoir, I.C. 123

Taljaard, R.E., see van Staden, J.F. 59
Tian, B., see Wang, J. 275
Tsuji, K., see Katsu, T. 301
Turoczy, N.J.
— and Sherwood, J.E.
Modification of the van den Berg/Ruzic method for the investigation of complexation parameters of natural waters 15

van Staden, J.F.
—, du Plessis, H., Linsky, S.M., Taljaard, R.E. and Kremer, B.
Influence of different volume ratios on the isodispersion point in sequential injection analysis 59
Velthorst, N.H., see Kozin, I.S. 181

Walmsley, A.D.
Improved variable selection procedure for multivariate linear regression 225
Wang, J.
—, Lu, J., Wang, J., Luo, D. and Tian, B.
Simultaneous measurements of trace chromium and uranium using mixed ligand adsorptive stripping analysis 275
Wang, J., see Wang, J. 275
Wang, J.-H., see Jiang, J.-H. 263
Wong, R.B., see Lee, M. 23
Wu, Y., see Ni, Y. 233

Xu, D., see Katsu, T. 301

Yan, X.-P., see Ivanova, E. 7
Yang, D., see Chang, X. 143
Yu, R.-Q., see Jiang, J.-H. 263
Yu, R.-Q., see Kang, T.-F. 343

Zahir, M.H.
— and Ab Ghani, S.
Fabrication of directly polymerized 4-vinylpyridine onto a pencil 2B graphite paste electrode for glucose monitoring 351
Zhao, M., see Jiang, Z. 359